Electronic Journal of Applied Statistical Analysis
Vol. 00, Issue 00, August 2013, 1-35
DOI: DOI–xxxx

Your Title

author 1*[a]

[a] *University and department, Address*

October 10, 2014

abstract abstract.

keywords: keyword1, keyword2 (three to six keywords separated by comma).

1 Introduction

Text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text.

Text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text.

For the bibliographic references, see Celmiņš (1987); Nguyen and Wu (2006); Yabuuchi et al. (1997).

2 Section 2

Text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text.

$$L(\lambda_{ij}, \gamma_{ij}) = \prod_{k-1}^{m} \frac{{\lambda_{ij}}^{\gamma_{ij}}}{\lceil \gamma_{ij}} {t_k}^{\gamma_{ij}-1} \exp(-\lambda_{ij} t_k) \quad (1)$$

*Corresponding authors: aaa.bb@xxx.edu, xxx.yyy@zzz.edu.

©Università del Salento
ISSN: 2070-5948
http://siba-ese.unisalento.it/index.php/ejasa/index

Text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text.

2.1 Subsection 2.1

Text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text.

Table 1: A simple example

First col	Second col	Third col	Fourth col
value 1	data	data	data
value 2	data	data	data
value 3	data	data	data

Text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text.

Text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text.

Figure 1: A cover of EJASA

Text text text text text text text text text text text text text text text text text text

text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text.

Acknowledgement

Text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text text.

References

Celmiņš, A. (1987). Least squares model fitting to fuzzy vector data. *Fuzzy sets and systems*, 22(3):245–269.

Nguyen, H. T. and Wu, B. (2006). *Fundamentals of statistics with fuzzy data*. Springer.

Yabuuchi, Y., Watada, J., and Nakamori, Y. (1997). Fuzzy principal component analysis for fuzzy data. In *Fuzzy Systems, 1997., Proceedings of the Sixth IEEE International Conference on*, volume 2, pages 1127–1132. IEEE.